

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11	((("5471563") or ("5471564") or ("5579447") or ("5768489") or ("6052200") or ("6614544") or ("6628419") or ("6917692") or ("6963412") or ("6891632") or ("6385656")).PN. or ((2003/0086113) or (2001/0040699)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 15:19
S2	13	((("5471563") or ("5471564") or ("5579447") or ("20030086113") or ("5768489") or ("6052200") or ("6614544") or ("6628419") or ("6917692") or ("6963412") or ("6891632") or ("20010040699") or ("6385656")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/12 15:42
S3	5633	(estimat\$3 or calculat\$3 or evaluat\$3 or determin\$3 or forecast\$3 or predict\$3) with scan near3 (time or memory or resource or process\$3 or requir\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:58
S4	550	S3 and "358".clas.	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:44
S5	825	S3 same (setting or parameter or mode)	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:44
S6	98	S5 and "358".clas.	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:45
S7	69	S6 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:45
S8	3641	(estimat\$3 or calculat\$3 or evaluat\$3 or determin\$3 or forecast\$3 or predict\$3) with scan near3 (time or memory or resource or requir\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:46
S9	3015	(estimat\$3 or calculat\$3 or evaluat\$3 or determin\$3 or forecast\$3 or predict\$3) with scan near3 (time or memory or resource)	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:47
S10	3004	(estimat\$3 or calculat\$3 or evaluat\$3 or determin\$3 or forecast\$3 or predict\$3) with scan near3 (time or memory)	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:47
S11	144	S9 same (setting or parameter)	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:47
S12	113	S11 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:47

EAST Search History

S13	1486	(estimat\$3 or calculat\$3) with scan\$4 near2 (time or memory)	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:50
S14	162	S13 same required	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:50
S15	106	S14 and @ad<"20010131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:52
S16	5	calculate near3 scan\$4 near3 time with required	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:53
S17	61	calculate with scanning near2 time	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:53
S18	33	S17 and @ad<"20010131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:53
S19	14321	(estimat\$3 or calculat\$3 or evaluat\$3 or determin\$3 or forecast\$3 or predict\$3) with scan\$4 near3 (time or memory or resource or process\$3 or requir\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/12 15:59
S20	73	(estimat\$3 or calculat\$3 or evaluat\$3 or determin\$3 or forecast\$3 or predict\$3) with scan\$4 near3 (time or memory or resource\$) adj2 requir\$5	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:04
S21	52	S20 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:00
S22	4709	(calculat\$3 or estimat\$3) same scan\$4 near3 (time or memory or resource)	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:27
S23	544	S22 same (parameter\$1 or setting\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:06
S24	377	S23 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:06
S25	14195	calculate same "scanning time" or "time to scan" or "memory required"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:27
S26	36	calculate same "scanning time" or "time to scan" or "memory required to scan"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:10
S27	255	(calculate or estimate) same "scanning time" or "time to scan" or ("memory required" near3 scan\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:12
S28	145	S27 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:11
S29	228	(calculate or estimate) with "scanning time" or "time to scan" or ("memory required" near3 scan\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:12

EAST Search History

S30	387	(calculat\$3 or estimat\$3) with "scanning time" or "time to scan" or ("memory required" near3 scan\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:13
S31	228	S29 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:12
S32	127	S29 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:12
S33	183	(calculat\$3 or estimat\$3) with ("scanning time" or "time to scan" or ("memory required" near3 scan\$4))	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:13
S34	127	S33 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:13
S35	120	(calculat\$3 or estimat\$3) same ((time or memory or resource) near2 require\$4) same scanner	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:47
S36	77	S35 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:28
S37	122	(calculat\$3 or estimat\$3) same ((memory near3 require\$4) or (image near2 size)) same scanner	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:48
S38	82	S37 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:53
S39	30	S37 same (setting\$1 or parameter\$1 or mode\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:53
S40	21	S39 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:57
S41	12	(calculate or estimate) same ("time required" or "memory required") same scanner	US-PGPUB; USPAT	OR	OFF	2006/04/12 16:58
S42	7	S41 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:18
S43	71	optim\$7 adj4 scan\$4 adj3 (setting\$1 or parameter\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:19
S44	55	S43 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:37
S45	0	"time to scan"	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:37
S46	0	"time required to scan"	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:38
S47	10	"estimated time" same scanner	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:38
S48	5	S47 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:52

EAST Search History

S49	9814	"reading time" or "scanning time"	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:54
S50	205	S49 same scanner same image	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:54
S51	147	S50 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:54
S52	9731	"reading time" xor "scanning time"	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:55
S53	1	(estimat\$3 or calculat\$3) same (time near scan\$4) same (flatbed or flat\$1bed or "flat bed")	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:57
S54	170	(estimat\$3 or calculat\$3) same (time near scan\$4) same scanner	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:57
S55	114	S54 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/12 17:57
S56	505	scan\$3 near3 (parameter\$1 or setting\$1) same optim\$7	US-PGPUB; USPAT	OR	OFF	2006/04/13 11:36
S57	174	S56 same (time or memory)	US-PGPUB; USPAT	OR	OFF	2006/04/13 11:36
S58	119	S57 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:01
S59	645	(calculat\$3 or estimat\$3 or determin\$3 or display\$3) same (time or memory or resource) near scanner	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:03
S60	385	S59 same (require\$4 or us\$3 or need\$2)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:08
S61	274	S60 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:07
S62	16451	hewlett-packard.as. or "hewlett packard".as. or hp.as. or "hewlett packard company".as.	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:08
S63	251	S61 not S62	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:08
S64	105	S60 same (parameter\$1 or setting\$1 or mode\$1 or configur\$5)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:09
S65	67	S64 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:15
S66	1478	(memory or time) near (usage or utiliz\$5 or use or requirement or required) same scanner	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:16
S67	299	S66 same (calculat\$3 or estimat\$3 or predict\$3 or forecast\$3 or determin\$5)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:16

EAST Search History

S68	401	S66 same (calculat\$3 or estimat\$3 or predict\$3 or forecast\$3 or determin\$5 or display\$3)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:16
S69	36	S67 same (setting or parameter or mode)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:17
S70	31	S69 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:19
S71	458	scanner near3 time same (resolution or (color adj depth) or size)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:20
S72	450	S71 not S62	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:20
S73	35	S71 same (calculate or estimate or determine)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:20
S74	21	S73 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:23
S75	199	image near3 scan\$4 same (estimate or calculate) with (time or memory)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:23
S76	155	S75 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:49
S77	65242	(calculat\$3 or estimat\$3 or predict\$3 or determin\$5) with (scan\$5 or read\$3 or captur\$3 or acqui\$6) with time	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:52
S78	2146	((358/444) or (358/404) or (358/509) or (358/483) or (358/482)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/13 13:51
S79	6928	S77 with (setting\$1 or parameter\$1 or mode\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:53
S80	11859	S77 same (setting\$1 or parameter\$1 or mode\$1)	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:53
S81	47	S80 and S78	US-PGPUB; USPAT	OR	OFF	2006/04/13 13:53
S82	42	S81 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/13 14:07
S83	3	"estimated scan time"	US-PGPUB; USPAT	OR	OFF	2006/04/13 14:09
S84	1	"estimate scan time"	US-PGPUB; USPAT	OR	OFF	2006/04/13 14:11
S85	11279	(estimat\$3 or calculat\$3) with "time required"	US-PGPUB; USPAT	OR	OFF	2006/04/13 14:13
S86	2153	S85 with (process\$3 or scan\$4)	US-PGPUB; USPAT	OR	OFF	2006/04/13 14:14

EAST Search History

S87	5458	((358/444) or (358/404) or (358/509) or (358/483) or (358/482) or (358/474) or (358/497) or (358/494) or (358/486) or (358/505)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/13 14:15
S88	19	S86 and S87	US-PGPUB; USPAT	OR	OFF	2006/04/13 14:15
S89	15	S88 and @ad<"20020131"	US-PGPUB; USPAT	OR	OFF	2006/04/13 14:15